

ME: Sreypech An
AME: Gabrielle Cruz

LD: Christian DeAngelis
ALD: Austin Harbor

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(1)	2 CAT LO	1	Strand 6x12 1kW	Frt A Wm	L203, R119	73	1/73
(2)	2 CAT HI	1	Strand 6x12 1kW	Frt B Wm	L203, R119	72	1/72
(3)	2 CAT LO	2	Strand 6x12 1kW	Frt C Wm	L203, R119	71	1/71
(4)	2 PIPE	1	Strand 6x12 1kW	Frt D Wm	L203, R119	70	1/70
(5)	2 PIPE	2	Strand 6x12 1kW	Frt E Wm	L203, R119	68	1/68
(6)	2 CAT LO	4	Strand 6x12 1kW	Frt F Wm	L203, R119	174	1/174
(7)	2 PIPE	5	Strand 6x12 1kW	Frt G Wm	L203, R119	75	1/75
(8)	2 PIPE	6	Strand 6x12 1kW	Frt H Wm	L203, R119	74	1/74
(9)	4 CAT LO	1	Strand 6x12 1kW	Frt I Wm	L203, R119	67	1/67
(10)	4 CAT LO	2	Strand 6x12 1kW	Frt J Wm	L203, R119	44	1/44
(11)	4 CAT LO	3	Strand 6x12 1kW	Frt K Wm	L203, R119	42	1/42
(12)	4 CAT LO	4	Strand 6x12 1kW	Frt L Wm	L203, R119	48	1/48
(13)	4 CAT LO	5	Strand 6x12 1kW	Frt M Wm	L203, R119	46	1/46
(14)	4 CAT LO	6	Strand 6x12 1kW	Frt N Wm	L203, R119	77	1/77
(15)	4A PIPE	1	Strand 6x12 1kW	Frt O Wm	L203, R119	66	1/66
(16)	4A PIPE	3	Strand 6x12 1kW	Frt P Wm	L203, R119	65	1/65
(17)	4A PIPE	4	Strand 6x12 1kW	Frt Q Wm	L203, R119	43	1/43
(18)	4A PIPE	5	Strand 6x12 1kW	Frt R Wm	L203, R119	41	1/41
(19)	4A PIPE	6	Strand 6x12 1kW	Frt S Wm	L203, R119	47	1/47
(20)	4A PIPE	8	Strand 6x12 1kW	Frt T Wm	L203, R119	45	1/45
(21)	5 PIPE	3	Strand 6x16 1kW	Frt U Wm	L203, R119	40	1/40
	"	4	"	Frt V Wm	"	"	"
(22)	7 CAT LO	2	Strand 6x16 1kW	Frt W Wm	L203, R119	16	1/16
(23)	7 CAT LO	3	Strand 6x16 1kW	Frt X Wm	L203, R119	1	1/1

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(24)	7 CAT LO	4	Strand 6x16 1kW	Frt Y Wm	L203, R119	19	1/19
(25)	5 PIPE	5	Strand 6x16 1kW	Frt Z Wm	L203, R119	39	1/39
(26)	5 PIPE	7	Strand 6x16 1kW	Frt AA Wm	L203, R119	37	1/37
(31)	DSL HIGH HOR	4	19deg Source4 750w	x/L AB Wm	R05, R119	151	1/151
(32)	DSL HIGH HOR	5	19deg Source4 750w	x/L BC Wm	R05, R119	149	1/149
(33)	DSL LOW HOR	1	26deg Source4 750w	x/L DE Wm	R05, R119	153	1/153
(34)	DSL HIGH HOR	1	19deg Source4 750w	x/L FG Wm	R05, R119	154	1/154
	DSL LOW HOR	2	26deg Source4 750w	x/L EF Wm	"	"	"
(35)	DSL HIGH HOR	2	19deg Source4 750w	x/L GH Wm	R05, R119	152	1/152
(36)	USL LOW HOR	4	26deg Source4 750w	x/L IJ Wm	R05, R119	147	1/147
(37)	USL LOW HOR	5	26deg Source4 750w	x/L K Wm	R05, R119	32	1/32
	USL HIGH HOR	"	19deg Source4 750w	x/L LM Wm	"	"	"
(38)	USL HIGH HOR	6	19deg Source4 750w	x/L MN Wm	R05, R119	60	1/60
(39)	USL LOW HOR	2	26deg Source4 750w	x/L OP Wm	R05, R119	144	1/144
(40)	USL LOW HOR	3	26deg Source4 750w	x/L Q Wm	R05, R119	145	1/145
	USL HIGH HOR	2	19deg Source4 750w	x/L RS Wm	"	"	"
(41)	USL HIGH HOR	3	19deg Source4 750w	x/L ST Wm	R05, R119	143	1/143
(42)	USL LOW HOR	1	26deg Source4 750w	x/L UV Wm	R05, R119	148	1/148

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(43)	USL HIGH HOR	1	19deg Source4 750w	x/L Z/AA Wm	R05, R119	146	1/146
(44)	9 PIPE	1	26deg Source4 750w	x/L W Wm	R05, R119	181	1/181
(45)	9 PIPE	2	26deg Source4 750w	x/L X Wm	R05, R119	183	1/183
(46)	9 PIPE	4	26deg Source4 750w	x/L Y Wm	R05, R119	185	1/185
(51)	DSR HIGH HOR	4	19deg Source4 750w	X/R AB Wm	R305, R119	165	1/165
(52)	DSR HIGH HOR	5	19deg Source4 750w	X/R BC Wm	R305, R119	163	1/163
(53)	DSR HIGH HOR	1	19deg Source4 750w	X/R DE Wm	R305, R119	164	1/164
(54)	DSR HIGH HOR	2	19deg Source4 750w	X/R EF Wm	R305, R119	166	1/166
	DSR LOW HOR	1	26deg Source4 750w	X/R FG Wm	"	"	"
(55)	DSR LOW HOR	2	26deg Source4 750w	X/R GH Wm	R305, R119	161	1/161
(56)	USR HIGH HOR	5	19deg Source4 750w	X/R IJ Wm	R305, R119	85	1/85
(57)	USR LOW HOR	4	26deg Source4 750w	X/R L Wm	R305, R119	84	1/84
	USR HIGH HOR	6	19deg Source4 750w	X/R JK Wm	"	"	"
(58)	USR LOW HOR	5	26deg Source4 750w	X/R MN Wm	R305, R119	160	1/160
(59)	USR HIGH HOR	2	19deg Source4 750w	X/R OP Wm	R305, R119	155	1/155
(60)	USR LOW HOR	2	26deg Source4 750w	X/R R Wm	R305, R119	156	1/156
	USR HIGH HOR	3	19deg Source4 750w	X/R PQ Wm	"	"	"
(61)	USR LOW HOR	3	26deg Source4 750w	X/R ST Wm	R305, R119	158	1/158

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(62)	USR HIGH HOR	1	19deg Source4 750w	X/R UV Wm	R305, R119	157	1/157
(63)	USR LOW HOR	1	26deg Source4 750w	X/R Z/AA Wm	R305, R119	159	1/159
(64)	9 PIPE	13	26deg Source4 750w	x/R W Wm	R305, R119	192	1/192
(65)	9 PIPE	15	26deg Source4 750w	x/R X Wm	R305, R119	14	1/14
(66)	9 PIPE	16	26deg Source4 750w	x/R Y Wm	R305, R119	15	1/15
(71)	5/6 CAT DSL	1	26deg Source4 750w	x/L A CI	L202, R119	35	1/35
(72)	5 PIPE	1	26deg Source4 750w	x/L B CI	L202, R119	34	1/34
(73)	5 PIPE	2	26deg Source4 750w	x/L C CI	L202, R119	33	1/33
(74)	6 PIPE	1	26deg Source4 750w	x/L DE CI	L202, R119	36	1/36
(75)	6 PIPE	2	26deg Source4 750w	x/L EF CI	L202, R119	64	1/64
	"	3	"	x/L FG CI	"	"	"
(76)	6 PIPE	4	26deg Source4 750w	x/L GH CI	L202, R119	63	1/63
(77)	7 PIPE	1	26deg Source4 750w	x/L JK CI	L202, R119	57	1/57
	7/8 SL LO	2	"	x/L IJ CI	"	"	"
(78)	7 PIPE	2	26deg Source4 750w	x/L KL CI	L202, R119	27	1/27
(79)	7 PIPE	4	26deg Source4 750w	x/L LM CI	L202, R119	25	1/25
	"	8	"	x/L MN CI	"	"	"
(80)	8 PIPE	1	26deg Source4 750w	x/L PQ CI	L202, R119	59	1/59
	7/8 SL LO	"	"	x/L OP CI	"	"	"
(81)	8 PIPE	3	26deg Source4 750w	x/L QR CI	L202, R119	31	1/31
(82)	8 PIPE	5	26deg Source4 750w	x/L RS CI	L202, R119	6	1/6
	"	8	"	x/L ST CI	"	"	"
(83)	8 PIPE	2	26deg Source4 750w	x/L UV CI	L202, R119	29	1/29
(84)	8/9 PIPE	4	26deg Source4 750w	X/L Z CI	L202, R119	113	1/113
	"	5	"	x/L AA CI	"	"	"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(85)	DS ELECTRIC	1	26deg Source4 750w	x/L W/X CI	L202, R119	89	1/89
(86)	DS ELECTRIC	5	26deg Source4 750w	x/L X/Y CI	L202, R119	94	1/94
(87)	US ELECTRIC	1	26deg Source4 750w	x/L AC Nt	R51, R119	103	1/103
	"	18	"	x/R AC Nt	"	"	"
(91)	5 PIPE	6	26deg Source4 750w	x/R A CI	L201, R119	38	1/38
(92)	5 PIPE	8	26deg Source4 750w	x/R B CI	L201, R119	24	1/24
(93)	5/6 CAT DSR	1	26deg Source4 750w	x/R C CI	L201, R119	23	1/23
(94)	6 PIPE	10	26deg Source4 750w	x/R DE CI	L201, R119	80	1/80
(95)	6 PIPE	11	26deg Source4 750w	x/R EF CI	L201, R119	22	1/22
	"	12	"	x/R FG CI	"	"	"
(96)	6 PIPE	13	26deg Source4 750w	x/R GH CI	L201, R119	49	1/49
(97)	7 PIPE	12	26deg Source4 750w	x/R IJ CI	L201, R119	20	1/20
	"	16	"	x/R JK CI	"	53	1/53
(98)	7 PIPE	18	26deg Source4 750w	x/R KL CI	L201, R119	52	1/52
(99)	7 PIPE	19	26deg Source4 750w	x/R LM CI	L201, R119	51	1/51
	7/8 SR LO	2	"	x/R MN CI	"	"	"
(100)	8 PIPE	14	26deg Source4 750w	x/R PQ CI	L201, R119	10	1/10
	"	16	"	x/R QR CI	"	"	"
(101)	8 PIPE	11	26deg Source4 750w	x/R OP CI	L201, R119	7	1/7
(102)	8 PIPE	18	26deg Source4 750w	x/R RS CI	L201, R119	86	1/86
	7/8 SR LO	1	"	x/R ST CI	"	"	"
(103)	8/9 PIPE	8	26deg Source4 750w	x/R UV CL	L201, R119	116	1/116
(104)	8 PIPE	17	26deg Source4 750w	x/R Z CI	L201, R119	87	1/87
	"	19	"	x/R AA CI	"	"	"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(105)	DS ELECTRIC	10	26deg Source4 750w	x/R W/X CI	L201, R119	93	1/93
(106)	DS ELECTRIC	14	26deg Source4 750w	x/R X/Y CI	L201, R119	98	1/98
(111)	6 PIPE	5	PAR 64 MFL 1kW	Top A	R83, G99	62	1/62
(112)	6 PIPE	7	PAR 64 MFL 1kW	Top B	R83, G99	83	1/83
(113)	6 PIPE	9	PAR 64 MFL 1kW	Top C	R83, G99	81	1/81
(114)	7 PIPE	7	PAR 64 MFL 1kW	Top DE	R83, G99	17	1/17
(115)	7 PIPE	9	PAR 64 MFL 1kW	Top EF	R83, G99	3	1/3
(116)	7 PIPE	11	PAR 64 MFL 1kW	Top FG	R83, G99	21	1/21
(117)	7 PIPE	13	PAR 64 MFL 1kW	Top GH	R83, G99	56	1/56
(118)	7 PIPE	3	PAR 64 MFL 1kW	Top IJ	R83, G99	26	1/26
	"	6	"	Top JK	"	"	"
(119)	7 PIPE	10	PAR 64 MFL 1kW	Top KL	R83, G99	2	1/2
(120)	7 PIPE	14	PAR 64 MFL 1kW	Top JK	R83, G99	55	1/55
	"	17	"	Top MN	"	"	"
(121)	8 PIPE	4	PAR 64 MFL 1kW	Top OP	R83, G99	30	1/30
	"	7	"	Top PQ	"	"	"
(122)	8 PIPE	10	PAR 64 MFL 1kW	Top QR	R83, G99	8	1/8
(123)	8 PIPE	12	PAR 64 MFL 1kW	Top RS	R83, G99	11	1/11
	"	15	"	Top ST	"	"	"
(124)	9 PIPE	8	Strand 6" Fresnel 750w	Top UV	R83, G99	187	1/187
(125)	9 PIPE	9	PAR 64 MFL 1kW	Top Z/AA	R83, G99	189	1/189
(126)	DS ELECTRIC	7	Strand 6" Fresnel 750w	Top W	R83, G99	99	1/99
(127)	DS ELECTRIC	8	Strand 6" Fresnel 750w	Top YX	R83, G99	88	1/88

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(128)	US ELECTRIC	8	Strand 6" Fresnel 750w	Top AB/AC	R83, G99	109	1/109
	"	11	"	Top AC/AD	"	"	"
(131)	8/9 PIPE	1	26deg Source4 750w	Texture Wash D-H	L200, R132, T:R77774	112	1/112
	"	2	"	"	"	"	"
	"	3	"	"	"	"	"
(132)	9 PIPE	3	26deg Source4 750w	Texture Wash I-N	L200, R132, T:R77774	184	1/184
(133)	9 PIPE	5	26deg Source4 750w	Texture Wash I-N	L200, R132, T:R77774	186	1/186
	"	6	"	"	"	"	"
(134)	9 PIPE	7	26deg Source4 750w	Texture Wash I-N	L200, R132, T:R77774	188	1/188
(135)	DS ELECTRIC	2	50deg Source4 750w	Texture Wash O-T	L200, R132, T:R77774	91	1/91
	"	3	"	"	"	"	"
	"	4	"	"	"	"	"
(141)	8/9 PIPE	9	26deg Source4 750w	Texture Wash D-H	L206, R132, T:R77109	117	1/117
	"	10	"	"	"	"	"
	"	11	"	"	"	"	"
(142)	9 PIPE	10	26deg Source4 750w	Texture Wash I-N	L206, R132, T:R77109	190	1/190
(143)	9 PIPE	11	26deg Source4 750w	Texture Wash I-N	L206, R132, T:R77109	191	1/191
	"	12	"	"	"	"	"
(144)	9 PIPE	14	26deg Source4 750w	Texture Wash I-N	L206, R132, T:R77109	13	1/13
(145)	DS ELECTRIC	11	50deg Source4 750w	Texture Wash O-T	L206, R132, T:R77109	95	1/95
	"	12	"	"	"	"	"
	"	13	"	"	"	"	"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(151)	HAND RAIL DL	1	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77109	167	3/1
(152)	HAND RAIL DL	3	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77109	167	3/11
(153)	HAND RAIL DL	5	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77109	167	3/21
(154)	HAND RAIL DL	7	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77109	167	3/31
(155)	HAND RAIL DR	1	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77774	170	3/41
(156)	HAND RAIL DR	3	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77774	170	3/51
(157)	HAND RAIL DR	5	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77774	170	3/61
(158)	HAND RAIL DR	7	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77774	170	3/71
(161)	TORM UL	2	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774	130	1/130
	"	4	"	"	"	"	"
(162)	TORM UL	6	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774	132	1/132
(163)	TORM UR	2	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774	137	1/137
	"	4	"	"	"	"	"
(164)	TORM UR	6	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774	133	1/133
(171)	TORM UL	1	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109	128	1/128
	"	3	"	"	"	"	"
(172)	TORM UL	5	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109	127	1/127
(173)	TORM UR	1	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109	134	1/134
	"	3	"	"	"	"	"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(174)	TORM UR	5	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109	138	1/138
(175)	HAND RAIL DL	2	Strand 6x16 1kW	Frt Scenic Wall Cl	L202, R132, T:G635	120	1/120
	"	6	"	"	"	"	"
(176)	HAND RAIL DR	2	Strand 6x16 1kW	Frt Scenic Wall Cl	L202, R132, T:G635	178	1/178
	"	6	"	"	"	"	"
(177)	HAND RAIL DL	4	19deg Source4 750w	Magic Moments	R26	119	1/119
(178)	HAND RAIL DR	4	19deg Source4 750w	Magic Moments	R59	176	1/176
(179)	HAND RAIL DL	4	Gobo Rotator-Edison	Rotator	T:R77119(R) , R77119(R)	118	1/118
(180)	HAND RAIL DR	4	Gobo Rotator-Edison	Rotator	T:R77119(R) , R77119(R)	177	1/177
(181)	7/8 PIPE SL	1	19deg Source4 750w	Texture Bare Branch Wm	L206, R132, T:G216	58	1/58
	"	2	"	"	"	"	"
(182)	7/8 PIPE SR	1	19deg Source4 750w	Texture Bare Branch Cl	L200, R132, T:G216	50	1/50
	"	2	"	"	"	"	"
(191)	PORCH CEILING	1	A-Lamp 60w	Porch Light	N/C		4/352
	"	2	"	"	"		"
(192)	WINDOW PRACTICAL	1	A-Lamp 60w	SL Window	N/C		4/353
	"	2	"	SR Window	"		"
(193)	INSIDE HOUSE	1	A-Lamp 60w	Center Standling Lamp	N/C		4/364
	"	2	"	Center US Lamp	"		"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(195)	WINDOW PRACTICAL	1	A-Lamp 60w	Center SR Window	N/C		4/363
	"	2	"	Center SL Window	"		"
(196)	INSIDE HOUSE	1	A-Lamp 60w	Lamp near SR door	N/C		4/351
(197)	SCENIC WALL	1	Christmas Lights	Christmas Lights SL	N/C		4/361
(198)	SCENIC WALL	2	Christmas Lights	Christmas Lights SR	N/C		4/354
(201)	US ELECTRIC	5	Strand 6x16 1kW	Window Bak Mid #4	R132	100	1/100
	"	7	"	Window Bak Hi #3	R97	107	1/107
(202)	US ELECTRIC	12	Strand 6x16 1kW	Window Bak Hi #5	R132	101	1/101
	"	14	"	Window Bak Mid #6	R97	"	"
(203)	US ELECTRIC	2	Strand 6x16 1kW	Window Bak Lo #2	R132	104	1/104
	"	3	"	Window Bak Hi #1	"	"	"
(204)	US ELECTRIC	16	Strand 6x16 1kW	Window Bak Lo	R132	105	1/105
	"	17	"	Window Bak Hi	"	"	"
(205)	US ELECTRIC	4	Strand 6x16 1kW	Window Bak SR #9	R132	101	1/101
	"	15	"	Window Bak SL #10	"	106	1/106
(206)	US ELECTRIC	10	Strand 6x16 1kW	Scrim Bak Wm	L205, R132	111	1/111
(207)	US ELECTRIC	9	Strand 6x16 1kW	Scrim Bak Cl	R60, R132	110	1/110

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(208)	US ELECTRIC	6	Strand 6x16 1kW	Door Bak	R132	108	1/108
(209)	US ELECTRIC	13	Strand 6x16 1kW	Door Bak	R132	102	1/102
(211)	VOM DWNLEFT CTR	1	PAR 64 MFL 1kW	Entrance Wm	L206	168	1/168
(212)	VOM DWNRIGHT CTR	2	PAR 64 MFL 1kW	Entrance Wm	L206	172	1/172
(213)	VOM DWNLEFT CTR	2	PAR 64 MFL 1kW	Entrance Cl	L203	169	1/169
(214)	VOM DWNRIGHT CTR	1	PAR 64 MFL 1kW	Entrance Cl	L203	171	1/171
(221)	DS DECK	1	MR16 Birdie 75w	Footlights	CLR		
	"	3	"	"	"		
	"	4	"	"	"		
	"	6	"	"	"		
(222)	DS DECK	2	Colorblast 12 50w	Footlights	COLOR		4/340
(231)	6 PIPE	6	19deg Source4 750w	SPECIAL DSL	R132	61	1/61
(232)	6 PIPE	8	19deg Source4 750w	SPECIAL DSR	R132	82	1/82
(233)	7 CAT LO	1	19deg Source4 750w	SPECIAL MSL	R132	18	1/18
(234)	7 CAT LO	5	19deg Source4 750w	SPECIAL MSR	R132	54	1/54
(235)	8/9 PIPE	6	19deg Source4 750w	SPECIAL USL	R132	114	1/114
(236)	8/9 PIPE	7	19deg Source4 750w	SPECIAL USR	R132	115	1/115
(241)	3 PIPE	1	Strand 6" Fresnel 750w	Top Vom Wm	R42	76	1/76
(242)	3 PIPE	2	Strand 6" Fresnel 750w	Top Vom Cl	R59	78	1/78
(243)	6 CAT LO	1	Strand 6x12 1kW	Frt Vom Wm	R02, R119	4	1/4

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(244)	6 CAT LO	2	Strand 6x12 1kW	Frt Vom Cl	L201, R119	5	1/4
(245)	Top of SL Vom	1	A-Lamp 60w	DJ BOOTH		9	1/9
(401)	7 PIPE	5	Varilite VL-1000 Tungsten dimmer 1kW	Top Shutter Specials			4/1
(402)	7 PIPE	15	Varilite VL-1000 Tungsten dimmer 1kW	Top Shutter Specials			4/28
(403)	8 PIPE	6	Varilite VL-1000 Tungsten dimmer 1kW	Top Shutter Specials			4/102
(404)	8 PIPE	9	Varilite VL-1000 Tungsten dimmer 1kW	Top Shutter Specials			4/130
(405)	8 PIPE	13	Varilite VL-1000 Tungsten dimmer 1kW	Top Shutter Specials			4/380
(411)	4A PIPE	2	Varilite VL-1100 Tungsten Dimmer 1kW	Front Iris Specials			3/101
(412)	4A PIPE	7	Varilite VL-1100 Tungsten Dimmer 1kW	Front Iris Specials			3/129
(413)	DS ELECTRIC	6	Varilite VL-1100 Tungsten Dimmer 1kW	Front Iris Specials		96	4/177
(414)	DS ELECTRIC	9	Varilite VL-1100 Tungsten Dimmer 1kW	Front Iris Specials		90	4/320
(421)	5/6 PIPE SL	1	Varilite VL-2500 Spot 700w	High Side Color			3/157
(422)	5/6 PIPE SR	1	Varilite VL-2500 Spot 700w	High Side Color			3/180
(423)	7/8 PIPE SL	3	Varilite VL-2500 Spot 700w	High Side Color			4/56
(424)	7/8 PIPE SR	3	Varilite VL-2500 Spot 700w	High Side Color			4/79
(431)	2 PIPE	3	Varilite VL-1000 T-TI 1kW	Front Iris Specials		173	3/81
(441)	DSL HIGH HOR	3	Varilite VLX Wash 840w	Low Side Color Wash		150	4/203

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(442)	USL HIGH HOR	4	Varilite VLX Wash 840w	Low Side Color Wash			4/227
(443)	DSR HIGH HOR	3	Varilite VLX Wash 840w	Low Side Color Wash			3/203
(444)	USR HIGH HOR	4	Varilite VLX Wash 840w	Low Side Color Wash			3/228
(451)	GROUND ROW	1	ETC Source4 LED2LS Cyclight 171w	CYC		121	4/251
(452)	GROUND ROW	2	ETC Source4 LED2LS Cyclight 171w	CYC		121	4/261
(453)	GROUND ROW	3	ETC Source4 LED2LS Cyclight 171w	CYC		121	4/271
(454)	GROUND ROW	4	ETC Source4 LED2LS Cyclight 171w	CYC		121	4/281
(455)	GROUND ROW	5	ETC Source4 LED2LS Cyclight 171w	CYC		121	4/291
(500)	VARIOUS		Parlite LED 36w			5008	10/400
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"
	"		"			"	"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Address
(501)	VARIOUS		Aisle Light	Aisle Light		175	1/175
(502)	8/9 CATWALK CTR	1	Hazer	Hazer			4/311
(503)	SR BEHIND PLASTER LINE	2	Rosco Fogger	Fog			4/301
	SL BEHIND PLASTER LINE	1	"	"			"