

ME: Sreypech An  
 AME: Gabrielle Cruz

LD: Christian DeAngelis  
 ALD: Austin Harbor

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>1</b>	(23)	1/1	7 CAT LO	3	Strand 6x16 1kW	Frnt X Wm	L203, R119
<b>2</b>	(119)	1/2	7 PIPE	10	PAR 64 MFL 1kW	Top KL	R83, G99
<b>3</b>	(115)	1/3	7 PIPE	9	PAR 64 MFL 1kW	Top EF	R83, G99
<b>4</b>	(243)	1/4	6 CAT LO	1	Strand 6x12 1kW	Frnt Vom Wm	R02, R119
<b>5</b>	(244)	1/4	6 CAT LO	2	Strand 6x12 1kW	Frnt Vom Cl	L201, R119
<b>6</b>	(82)	1/6	8 PIPE	5	26deg Source4 750w	x/L RS Cl	L202, R119
	"	"	"	8	"	x/L ST Cl	"
<b>7</b>	(101)	1/7	8 PIPE	11	26deg Source4 750w	x/R OP Cl	L201, R119
<b>8</b>	(122)	1/8	8 PIPE	10	PAR 64 MFL 1kW	Top QR	R83, G99
<b>9</b>	(245)	1/9	Top of SL Vom	1	A-Lamp 60w	DJ BOOTH	
<b>10</b>	(100)	1/10	8 PIPE	14	26deg Source4 750w	x/R PQ Cl	L201, R119
	"	"	"	16	"	x/R QR Cl	"
<b>11</b>	(123)	1/11	8 PIPE	12	PAR 64 MFL 1kW	Top RS	R83, G99
	"	"	"	15	"	Top ST	"
<b>13</b>	(144)	1/13	9 PIPE	14	26deg Source4 750w	Texture Wash I-N	L206, R132, T:R77109
<b>14</b>	(65)	1/14	9 PIPE	15	26deg Source4 750w	x/R X Wm	R305, R119
<b>15</b>	(66)	1/15	9 PIPE	16	26deg Source4 750w	x/R Y Wm	R305, R119
<b>16</b>	(22)	1/16	7 CAT LO	2	Strand 6x16 1kW	Frnt W Wm	L203, R119
<b>17</b>	(114)	1/17	7 PIPE	7	PAR 64 MFL 1kW	Top DE	R83, G99
<b>18</b>	(233)	1/18	7 CAT LO	1	19deg Source4 750w	SPECIAL MSL	R132
<b>19</b>	(24)	1/19	7 CAT LO	4	Strand 6x16 1kW	Frnt Y Wm	L203, R119
<b>20</b>	(97)	1/20	7 PIPE	12	26deg Source4 750w	x/R IJ Cl	L201, R119
<b>21</b>	(116)	1/21	7 PIPE	11	PAR 64 MFL 1kW	Top FG	R83, G99

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>22</b>	(95)	1/22	6 PIPE	11	26deg Source4 750w	x/R EF CI	L201, R119
	"	"	"	12	"	x/R FG CI	"
<b>23</b>	(93)	1/23	5/6 CAT DSR	1	26deg Source4 750w	x/R C CI	L201, R119
<b>24</b>	(92)	1/24	5 PIPE	8	26deg Source4 750w	x/R B CI	L201, R119
<b>25</b>	(79)	1/25	7 PIPE	4	26deg Source4 750w	x/L LM CI	L202, R119
	"	"	"	8	"	x/L MN CI	"
<b>26</b>	(118)	1/26	7 PIPE	3	PAR 64 MFL 1kW	Top IJ	R83, G99
	"	"	"	6	"	Top JK	"
<b>27</b>	(78)	1/27	7 PIPE	2	26deg Source4 750w	x/L KL CI	L202, R119
<b>29</b>	(83)	1/29	8 PIPE	2	26deg Source4 750w	x/L UV CI	L202, R119
<b>30</b>	(121)	1/30	8 PIPE	4	PAR 64 MFL 1kW	Top OP	R83, G99
	"	"	"	7	"	Top PQ	"
<b>31</b>	(81)	1/31	8 PIPE	3	26deg Source4 750w	x/L QR CI	L202, R119
<b>32</b>	(37)	1/32	USL LOW HOR	5	26deg Source4 750w	x/L K Wm	R05, R119
	"	"	USL HIGH HOR	"	19deg Source4 750w	x/L LM Wm	"
<b>33</b>	(73)	1/33	5 PIPE	2	26deg Source4 750w	x/L C CI	L202, R119
<b>34</b>	(72)	1/34	5 PIPE	1	26deg Source4 750w	x/L B CI	L202, R119
<b>35</b>	(71)	1/35	5/6 CAT DSL	1	26deg Source4 750w	x/L A CI	L202, R119
<b>36</b>	(74)	1/36	6 PIPE	1	26deg Source4 750w	x/L DE CI	L202, R119
<b>37</b>	(26)	1/37	5 PIPE	7	Strand 6x16 1kW	Frnt AA Wm	L203, R119
<b>38</b>	(91)	1/38	5 PIPE	6	26deg Source4 750w	x/R A CI	L201, R119
<b>39</b>	(25)	1/39	5 PIPE	5	Strand 6x16 1kW	Frnt Z Wm	L203, R119
<b>40</b>	(21)	1/40	5 PIPE	3	Strand 6x16 1kW	Frnt U Wm	L203, R119
	"	"	"	4	"	Frnt V Wm	"

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>41</b>	(18)	1/41	4A PIPE	5	Strand 6x12 1kW	Frt R Wm	L203, R119
<b>42</b>	(11)	1/42	4 CAT LO	3	Strand 6x12 1kW	Frt K Wm	L203, R119
<b>43</b>	(17)	1/43	4A PIPE	4	Strand 6x12 1kW	Frt Q Wm	L203, R119
<b>44</b>	(10)	1/44	4 CAT LO	2	Strand 6x12 1kW	Frt J Wm	L203, R119
<b>45</b>	(20)	1/45	4A PIPE	8	Strand 6x12 1kW	Frt T Wm	L203, R119
<b>46</b>	(13)	1/46	4 CAT LO	5	Strand 6x12 1kW	Frt M Wm	L203, R119
<b>47</b>	(19)	1/47	4A PIPE	6	Strand 6x12 1kW	Frt S Wm	L203, R119
<b>48</b>	(12)	1/48	4 CAT LO	4	Strand 6x12 1kW	Frt L Wm	L203, R119
<b>49</b>	(96)	1/49	6 PIPE	13	26deg Source4 750w	x/R GH CI	L201, R119
<b>50</b>	(182)	1/50	7/8 PIPE SR	1	19deg Source4 750w	Texture Bare Branch CI	L200, R132, T:G216
	"	"	"	2	"	"	"
<b>51</b>	(99)	1/51	7 PIPE	19	26deg Source4 750w	x/R LM CI	L201, R119
	"	"	7/8 SR LO	2	"	x/R MN CI	"
<b>52</b>	(98)	1/52	7 PIPE	18	26deg Source4 750w	x/R KL CI	L201, R119
<b>53</b>	(97)	1/53	7 PIPE	16	26deg Source4 750w	x/R JK CI	L201, R119
<b>54</b>	(234)	1/54	7 CAT LO	5	19deg Source4 750w	SPECIAL MSR	R132
<b>55</b>	(120)	1/55	7 PIPE	14	PAR 64 MFL 1kW	Top JK	R83, G99
	"	"	"	17	"	Top MN	"
<b>56</b>	(117)	1/56	7 PIPE	13	PAR 64 MFL 1kW	Top GH	R83, G99
<b>57</b>	(77)	1/57	7 PIPE	1	26deg Source4 750w	x/L JK CI	L202, R119
	"	"	7/8 SL LO	2	"	x/L IJ CI	"
<b>58</b>	(181)	1/58	7/8 PIPE SL	1	19deg Source4 750w	Texture Bare Branch Wm	L206, R132, T:G216
	"	"	"	2	"	"	"
<b>59</b>	(80)	1/59	8 PIPE	1	26deg Source4 750w	x/L PQ CI	L202, R119
	"	"	7/8 SL LO	"	"	x/L OP CI	"

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>60</b>	(38)	1/60	USL HIGH HOR	6	19deg Source4 750w	x/L MN Wm	R05, R119
<b>61</b>	(231)	1/61	6 PIPE	6	19deg Source4 750w	SPECIAL DSL	R132
<b>62</b>	(111)	1/62	6 PIPE	5	PAR 64 MFL 1kW	Top A	R83, G99
<b>63</b>	(76)	1/63	6 PIPE	4	26deg Source4 750w	x/L GH Cl	L202, R119
<b>64</b>	(75)	1/64	6 PIPE	2	26deg Source4 750w	x/L EF Cl	L202, R119
	"	"	"	3	"	x/L FG Cl	"
<b>65</b>	(16)	1/65	4A PIPE	3	Strand 6x12 1kW	Frt P Wm	L203, R119
<b>66</b>	(15)	1/66	4A PIPE	1	Strand 6x12 1kW	Frt O Wm	L203, R119
<b>67</b>	(9)	1/67	4 CAT LO	1	Strand 6x12 1kW	Frt I Wm	L203, R119
<b>68</b>	(5)	1/68	2 PIPE	2	Strand 6x12 1kW	Frt E Wm	L203, R119
<b>70</b>	(4)	1/70	2 PIPE	1	Strand 6x12 1kW	Frt D Wm	L203, R119
<b>71</b>	(3)	1/71	2 CAT LO	2	Strand 6x12 1kW	Frt C Wm	L203, R119
<b>72</b>	(2)	1/72	2 CAT HI	1	Strand 6x12 1kW	Frt B Wm	L203, R119
<b>73</b>	(1)	1/73	2 CAT LO	1	Strand 6x12 1kW	Frt A Wm	L203, R119
<b>74</b>	(8)	1/74	2 PIPE	6	Strand 6x12 1kW	Frt H Wm	L203, R119
<b>75</b>	(7)	1/75	2 PIPE	5	Strand 6x12 1kW	Frt G Wm	L203, R119
<b>76</b>	(241)	1/76	3 PIPE	1	Strand 6" Fresnel 750w	Top Vom Wm	R42
<b>77</b>	(14)	1/77	4 CAT LO	6	Strand 6x12 1kW	Frt N Wm	L203, R119
<b>78</b>	(242)	1/78	3 PIPE	2	Strand 6" Fresnel 750w	Top Vom Cl	R59
<b>80</b>	(94)	1/80	6 PIPE	10	26deg Source4 750w	x/R DE Cl	L201, R119
<b>81</b>	(113)	1/81	6 PIPE	9	PAR 64 MFL 1kW	Top C	R83, G99
<b>82</b>	(232)	1/82	6 PIPE	8	19deg Source4 750w	SPECIAL DSR	R132
<b>83</b>	(112)	1/83	6 PIPE	7	PAR 64 MFL 1kW	Top B	R83, G99

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>84</b>	(57)	1/84	USR LOW HOR	4	26deg Source4 750w	X/R L Wm	R305, R119
	"	"	USR HIGH HOR	6	19deg Source4 750w	X/R JK Wm	"
<b>85</b>	(56)	1/85	USR HIGH HOR	5	19deg Source4 750w	X/R IJ Wm	R305, R119
<b>86</b>	(102)	1/86	8 PIPE	18	26deg Source4 750w	x/R RS CI	L201, R119
	"	"	7/8 SR LO	1	"	x/R ST CI	"
<b>87</b>	(104)	1/87	8 PIPE	17	26deg Source4 750w	x/R Z CI	L201, R119
	"	"	"	19	"	x/R AA CI	"
<b>88</b>	(127)	1/88	DS ELECTRIC	8	Strand 6" Fresnel 750w	Top YX	R83, G99
<b>89</b>	(85)	1/89	DS ELECTRIC	1	26deg Source4 750w	x/L W/X CI	L202, R119
<b>90</b>	(414)	4/320	DS ELECTRIC	9	Varilite VL-1100 Tungsten Dimmer 1kW	Front Iris Specials	
<b>91</b>	(135)	1/91	DS ELECTRIC	2	50deg Source4 750w	Texture Wash O-T	L200, R132, T:R77774
	"	"	"	3	"	"	"
	"	"	"	4	"	"	"
<b>93</b>	(105)	1/93	DS ELECTRIC	10	26deg Source4 750w	x/R W/X CI	L201, R119
<b>94</b>	(86)	1/94	DS ELECTRIC	5	26deg Source4 750w	x/L X/Y CI	L202, R119
<b>95</b>	(145)	1/95	DS ELECTRIC	11	50deg Source4 750w	Texture Wash O-T	L206, R132, T:R77109
	"	"	"	12	"	"	"
	"	"	"	13	"	"	"
<b>96</b>	(413)	4/177	DS ELECTRIC	6	Varilite VL-1100 Tungsten Dimmer 1kW	Front Iris Specials	
<b>98</b>	(106)	1/98	DS ELECTRIC	14	26deg Source4 750w	x/R X/Y CI	L201, R119

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>99</b>	(126)	1/99	DS ELECTRIC	7	Strand 6" Fresnel 750w	Top W	R83, G99
<b>100</b>	(201)	1/100	US ELECTRIC	5	Strand 6x16 1kW	Window Bak Mid #4	R132
<b>101</b>	(205)	1/101	US ELECTRIC	4	Strand 6x16 1kW	Window Bak SR #9	R132
	(202)	"	"	12	"	Window Bak Hi #5	"
	"	"	"	14	"	Window Bak Mid #6	R97
<b>102</b>	(209)	1/102	US ELECTRIC	13	Strand 6x16 1kW	Door Bak	R132
<b>103</b>	(87)	1/103	US ELECTRIC	1	26deg Source4 750w	x/L AC Nt	R51, R119
	"	"	"	18	"	x/R AC Nt	"
<b>104</b>	(203)	1/104	US ELECTRIC	2	Strand 6x16 1kW	Window Bak Lo #2	R132
	"	"	"	3	"	Window Bak Hi #1	"
<b>105</b>	(204)	1/105	US ELECTRIC	16	Strand 6x16 1kW	Window Bak Lo	R132
	"	"	"	17	"	Window Bak Hi	"
<b>106</b>	(205)	1/106	US ELECTRIC	15	Strand 6x16 1kW	Window Bak SL #10	R132
<b>107</b>	(201)	1/107	US ELECTRIC	7	Strand 6x16 1kW	Window Bak Hi #3	R97
<b>108</b>	(208)	1/108	US ELECTRIC	6	Strand 6x16 1kW	Door Bak	R132
<b>109</b>	(128)	1/109	US ELECTRIC	8	Strand 6" Fresnel 750w	Top AB/AC	R83, G99
	"	"	"	11	"	Top AC/AD	"
<b>110</b>	(207)	1/110	US ELECTRIC	9	Strand 6x16 1kW	Scrim Bak Cl	R60, R132

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>111</b>	(206)	1/111	US ELECTRIC	10	Strand 6x16 1kW	Scrim Bak Wm	L205, R132
<b>112</b>	(131)	1/112	8/9 PIPE	1	26deg Source4 750w	Texture Wash D-H	L200, R132, T:R77774
	"	"	"	2	"	"	"
	"	"	"	3	"	"	"
<b>113</b>	(84)	1/113	8/9 PIPE	4	26deg Source4 750w	X/L Z CI	L202, R119
	"	"	"	5	"	x/L AA CI	"
<b>114</b>	(235)	1/114	8/9 PIPE	6	19deg Source4 750w	SPECIAL USL	R132
<b>115</b>	(236)	1/115	8/9 PIPE	7	19deg Source4 750w	SPECIAL USR	R132
<b>116</b>	(103)	1/116	8/9 PIPE	8	26deg Source4 750w	x/R UV CL	L201, R119
<b>117</b>	(141)	1/117	8/9 PIPE	9	26deg Source4 750w	Texture Wash D-H	L206, R132, T:R77109
	"	"	"	10	"	"	"
	"	"	"	11	"	"	"
<b>118</b>	(179)	1/118	HAND RAIL DL	4	Gobo Rotator-Edison	Rotator	T:R77119(R), R77119(R)
<b>119</b>	(177)	1/119	HAND RAIL DL	4	19deg Source4 750w	Magic Moments	R26
<b>120</b>	(175)	1/120	HAND RAIL DL	2	Strand 6x16 1kW	Frnt Scenic Wall CI	L202, R132, T:G635
	"	"	"	6	"	"	"
<b>121</b>	(451)	4/251	GROUND ROW	1	ETC Source4 LED2LS Cyclight 171w	CYC	
	(452)	4/261	"	2	"	"	
	(453)	4/271	"	3	"	"	
	(454)	4/281	"	4	"	"	
	(455)	4/291	"	5	"	"	
<b>127</b>	(172)	1/127	TORM UL	5	26deg Source4 750w	Texture CI Apt	L200, R132, T:R77109

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>128</b>	(171)	1/128	TORM UL	1	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109
	"	"	"	3	"	"	"
<b>130</b>	(161)	1/130	TORM UL	2	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774
	"	"	"	4	"	"	"
<b>132</b>	(162)	1/132	TORM UL	6	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774
<b>133</b>	(164)	1/133	TORM UR	6	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774
<b>134</b>	(173)	1/134	TORM UR	1	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109
	"	"	"	3	"	"	"
<b>137</b>	(163)	1/137	TORM UR	2	Strand 6x12 1kW	Texture Wm Apt	L206, R132, T:R77774
	"	"	"	4	"	"	"
<b>138</b>	(174)	1/138	TORM UR	5	26deg Source4 750w	Texture Cl Apt	L200, R132, T:R77109
<b>143</b>	(41)	1/143	USL HIGH HOR	3	19deg Source4 750w	x/L ST Wm	R05, R119
<b>144</b>	(39)	1/144	USL LOW HOR	2	26deg Source4 750w	x/L OP Wm	R05, R119
<b>145</b>	(40)	1/145	USL LOW HOR	3	26deg Source4 750w	x/L Q Wm	R05, R119
	"	"	USL HIGH HOR	2	19deg Source4 750w	x/L RS Wm	"
<b>146</b>	(43)	1/146	USL HIGH HOR	1	19deg Source4 750w	x/L Z/AA Wm	R05, R119
<b>147</b>	(36)	1/147	USL LOW HOR	4	26deg Source4 750w	x/L IJ Wm	R05, R119
<b>148</b>	(42)	1/148	USL LOW HOR	1	26deg Source4 750w	x/L UV Wm	R05, R119
<b>149</b>	(32)	1/149	DSL HIGH HOR	5	19deg Source4 750w	x/L BC Wm	R05, R119



Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>150</b>	(441)	4/203	DSL HIGH HOR	3	Varilite VLX Wash 840w	Low Side Color Wash	
<b>151</b>	(31)	1/151	DSL HIGH HOR	4	19deg Source4 750w	x/L AB Wm	R05, R119
<b>152</b>	(35)	1/152	DSL HIGH HOR	2	19deg Source4 750w	x/L GH Wm	R05, R119
<b>153</b>	(33)	1/153	DSL LOW HOR	1	26deg Source4 750w	x/L DE Wm	R05, R119
<b>154</b>	(34)	1/154	DSL HIGH HOR	1	19deg Source4 750w	x/L FG Wm	R05, R119
	"	"	DSL LOW HOR	2	26deg Source4 750w	x/L EF Wm	"
<b>155</b>	(59)	1/155	USR HIGH HOR	2	19deg Source4 750w	X/R OP Wm	R305, R119
<b>156</b>	(60)	1/156	USR LOW HOR	2	26deg Source4 750w	X/R R Wm	R305, R119
	"	"	USR HIGH HOR	3	19deg Source4 750w	X/R PQ Wm	"
<b>157</b>	(62)	1/157	USR HIGH HOR	1	19deg Source4 750w	X/R UV Wm	R305, R119
<b>158</b>	(61)	1/158	USR LOW HOR	3	26deg Source4 750w	X/R ST Wm	R305, R119
<b>159</b>	(63)	1/159	USR LOW HOR	1	26deg Source4 750w	X/R Z/AA Wm	R305, R119
<b>160</b>	(58)	1/160	USR LOW HOR	5	26deg Source4 750w	X/R MN Wm	R305, R119
<b>161</b>	(55)	1/161	DSR LOW HOR	2	26deg Source4 750w	X/R GH Wm	R305, R119
<b>163</b>	(52)	1/163	DSR HIGH HOR	5	19deg Source4 750w	X/R BC Wm	R305, R119
<b>164</b>	(53)	1/164	DSR HIGH HOR	1	19deg Source4 750w	X/R DE Wm	R305, R119
<b>165</b>	(51)	1/165	DSR HIGH HOR	4	19deg Source4 750w	X/R AB Wm	R305, R119

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>166</b>	(54)	1/166	DSR HIGH HOR	2	19deg Source4 750w	X/R EF Wm	R305, R119
	"	"	DSR LOW HOR	1	26deg Source4 750w	X/R FG Wm	"
<b>167</b>	(151)	3/1	HAND RAIL DL	1	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77109
	(152)	3/11	"	3	"	"	"
	(153)	3/21	"	5	"	"	"
	(154)	3/31	"	7	"	"	"
<b>168</b>	(211)	1/168	VOM DWNLEFT CTR	1	PAR 64 MFL 1kW	Entrance Wm	L206
<b>169</b>	(213)	1/169	VOM DWNLEFT CTR	2	PAR 64 MFL 1kW	Entrance CI	L203
<b>170</b>	(155)	3/41	HAND RAIL DR	1	ETC Source4 LEDLS 26deg 117w	Texture Set Wall Wash	R132, T: R77774
	(156)	3/51	"	3	"	"	"
	(157)	3/61	"	5	"	"	"
	(158)	3/71	"	7	"	"	"
<b>171</b>	(214)	1/171	VOM DWNRIGHT CTR	1	PAR 64 MFL 1kW	Entrance CI	L203
<b>172</b>	(212)	1/172	VOM DWNRIGHT CTR	2	PAR 64 MFL 1kW	Entrance Wm	L206
<b>173</b>	(431)	3/81	2 PIPE	3	Varilite VL-1000 T-TI 1kW	Front Iris Specials	
<b>174</b>	(6)	1/174	2 CAT LO	4	Strand 6x12 1kW	Frt F Wm	L203, R119
<b>175</b>	(501)	1/175	VARIOUS		Aisle Light	Aisle Light	
<b>176</b>	(178)	1/176	HAND RAIL DR	4	19deg Source4 750w	Magic Moments	R59
<b>177</b>	(180)	1/177	HAND RAIL DR	4	Gobo Rotator-Edison	Rotator	T:R77119(R), R77119(R)
<b>178</b>	(176)	1/178	HAND RAIL DR	2	Strand 6x16 1kW	Frt Scenic Wall CI	L202, R132, T:G635
	"	"	"	6	"	"	"
<b>181</b>	(44)	1/181	9 PIPE	1	26deg Source4 750w	x/L W Wm	R05, R119

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>183</b>	(45)	1/183	9 PIPE	2	26deg Source4 750w	x/L X Wm	R05, R119
<b>184</b>	(132)	1/184	9 PIPE	3	26deg Source4 750w	Texture Wash I-N	L200, R132, T:R77774
<b>185</b>	(46)	1/185	9 PIPE	4	26deg Source4 750w	x/L Y Wm	R05, R119
<b>186</b>	(133)	1/186	9 PIPE	5	26deg Source4 750w	Texture Wash I-N	L200, R132, T:R77774
	"	"	"	6	"	"	"
<b>187</b>	(124)	1/187	9 PIPE	8	Strand 6" Fresnel 750w	Top UV	R83, G99
<b>188</b>	(134)	1/188	9 PIPE	7	26deg Source4 750w	Texture Wash I-N	L200, R132, T:R77774
<b>189</b>	(125)	1/189	9 PIPE	9	PAR 64 MFL 1kW	Top Z/AA	R83, G99
<b>190</b>	(142)	1/190	9 PIPE	10	26deg Source4 750w	Texture Wash I-N	L206, R132, T:R77109
<b>191</b>	(143)	1/191	9 PIPE	11	26deg Source4 750w	Texture Wash I-N	L206, R132, T:R77109
	"	"	"	12	"	"	"
<b>192</b>	(64)	1/192	9 PIPE	13	26deg Source4 750w	x/R W Wm	R305, R119

Dimmer	Chan	Address	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
<b>5008</b>	(500)	10/400	VARIOUS		Parlite LED 36w		
	"	"	"		"		
	"	"	"		"		
-----							
	"	"	"		"		
	"	"	"		"		
	"	"	"		"		
-----							
	"	"	"		"		
	"	"	"		"		
	"	"	"		"		
-----							
	"	"	"		"		
	"	"	"		"		
	"	"	"		"		
-----							
	"	"	"		"		
	"	"	"		"		
	"	"	"		"		