

**TABLE OF CONTENTS**

DSR HIGH HOR .....	1	TORM UR .....	12
DSR LOW HOR .....	1	TORM UL .....	13
DSL HIGH HOR .....	1	VOM DWNLEFT CTR .....	13
DSL LOW HOR .....	1	VOM DWNRIGHT CTR .....	13
USL LOW HOR .....	2	7 PIPE .....	14
USL HIGH HOR .....	2	2 PIPE .....	15
USR LOW HOR .....	2	2 CAT LO .....	15
USR HIGH HOR .....	3	2 CAT HI .....	15
8/9 PIPE .....	3	GROUND ROW .....	15
7 CAT LO .....	4	5/6 PIPE SL .....	16
6 PIPE .....	4	5/6 PIPE SR .....	16
7/8 PIPE SL .....	5	4A PIPE .....	16
7/8 PIPE SR .....	5	7/8 SR LO .....	16
SCENIC WALL .....	5	5/6 CAT DSR .....	16
INSIDE HOUSE .....	5	7/8 SL LO .....	17
PORCH CEILING .....	6	5/6 CAT DSL .....	17
DS DECK .....	6	4 CAT LO .....	17
VARIOUS .....	7	HAND RAIL DL .....	18
8/9 CATWALK CTR .....	7	HAND RAIL DR .....	19
US ELECTRIC .....	8	3 PIPE .....	19
8 PIPE .....	9	6 CAT LO .....	19
9 PIPE .....	10	WINDOW PRACTICAL .....	20
DS ELECTRIC .....	11	Top of SL Vom .....	20
5 PIPE .....	12	SR BEHIND PLASTER LINE .....	20
		SL BEHIND PLASTER LINE .....	20

ME: Sreypech An  
 AME: Gabrielle Cruz

LD: Christian DeAngelis  
 ALD: Austin Harbor

**DSR HIGH HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	X/R DE Wm	19deg Source4	750w	R305, R119	(53)	1/164	164
2	X/R EF Wm	19deg Source4	750w	R305, R119	(54)	1/166	166
3	Low Side Color Wash	Varilite VLX Wash	840w		(443)	3/203	
4	X/R AB Wm	19deg Source4	750w	R305, R119	(51)	1/165	165
5	X/R BC Wm	19deg Source4	750w	R305, R119	(52)	1/163	163

**DSR LOW HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	X/R FG Wm	26deg Source4	750w	R305, R119	(54)	1/166	166
2	X/R GH Wm	26deg Source4	750w	R305, R119	(55)	1/161	161

**DSL HIGH HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L FG Wm	19deg Source4	750w	R05, R119	(34)	1/154	154
2	x/L GH Wm	19deg Source4	750w	R05, R119	(35)	1/152	152
3	Low Side Color Wash	Varilite VLX Wash	840w		(441)	4/203	150
4	x/L AB Wm	19deg Source4	750w	R05, R119	(31)	1/151	151
5	x/L BC Wm	19deg Source4	750w	R05, R119	(32)	1/149	149

**DSL LOW HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L DE Wm	26deg Source4	750w	R05, R119	(33)	1/153	153
2	x/L EF Wm	26deg Source4	750w	R05, R119	(34)	1/154	154

**USL LOW HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L UV Wm	26deg Source4	750w	R05, R119	(42)	1/148	148
2	x/L OP Wm	26deg Source4	750w	R05, R119	(39)	1/144	144
3	x/L Q Wm	26deg Source4	750w	R05, R119	(40)	1/145	145
4	x/L IJ Wm	26deg Source4	750w	R05, R119	(36)	1/147	147
5	x/L K Wm	26deg Source4	750w	R05, R119	(37)	1/32	32

**USL HIGH HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L Z/AA Wm	19deg Source4	750w	R05, R119	(43)	1/146	146
2	x/L RS Wm	19deg Source4	750w	R05, R119	(40)	1/145	145
3	x/L ST Wm	19deg Source4	750w	R05, R119	(41)	1/143	143
4	Low Side Color Wash	Varilite VLX Wash	840w		(442)	4/227	
5	x/L LM Wm	19deg Source4	750w	R05, R119	(37)	1/32	32
6	x/L MN Wm	19deg Source4	750w	R05, R119	(38)	1/60	60

**USR LOW HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	X/R Z/AA Wm	26deg Source4	750w	R305, R119	(63)	1/159	159
2	X/R R Wm	26deg Source4	750w	R305, R119	(60)	1/156	156
3	X/R ST Wm	26deg Source4	750w	R305, R119	(61)	1/158	158
4	X/R L Wm	26deg Source4	750w	R305, R119	(57)	1/84	84
5	X/R MN Wm	26deg Source4	750w	R305, R119	(58)	1/160	160

**USR HIGH HOR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	X/R UV Wm	19deg Source4	750w	R305, R119	(62)	1/157	157
2	X/R OP Wm	19deg Source4	750w	R305, R119	(59)	1/155	155
3	X/R PQ Wm	19deg Source4	750w	R305, R119	(60)	1/156	156
4	Low Side Color Wash	Varilite VLX Wash	840w		(444)	3/228	
5	X/R IJ Wm	19deg Source4	750w	R305, R119	(56)	1/85	85
6	X/R JK Wm	19deg Source4	750w	R305, R119	(57)	1/84	84

**8/9 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture Wash D-H	26deg Source4	750w	L200, R132, T: R77774	(131)	1/112	112
2	Texture Wash D-H	26deg Source4	750w	L200, R132, T: R77774	(131)	1/112	112
3	Texture Wash D-H	26deg Source4	750w	L200, R132, T: R77774	(131)	1/112	112
4	X/L Z CI	26deg Source4	750w	L202, R119	(84)	1/113	113
5	x/L AA CI	26deg Source4	750w	L202, R119	(84)	1/113	113
6	SPECIAL USL	19deg Source4	750w	R132	(235)	1/114	114
7	SPECIAL USR	19deg Source4	750w	R132	(236)	1/115	115
8	x/R UV CL	26deg Source4	750w	L201, R119	(103)	1/116	116
9	Texture Wash D-H	26deg Source4	750w	L206, R132, T: R77109	(141)	1/117	117
10	Texture Wash D-H	26deg Source4	750w	L206, R132, T: R77109	(141)	1/117	117
11	Texture Wash D-H	26deg Source4	750w	L206, R132, T: R77109	(141)	1/117	117

**7 CAT LO**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	SPECIAL MSL	19deg Source4	750w	R132	(233)	1/18	18
2	Frt W Wm	Strand 6x16	1kW	L203, R119	(22)	1/16	16
3	Frt X Wm	Strand 6x16	1kW	L203, R119	(23)	1/1	1
4	Frt Y Wm	Strand 6x16	1kW	L203, R119	(24)	1/19	19
5	SPECIAL MSR	19deg Source4	750w	R132	(234)	1/54	54

**6 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L DE CI	26deg Source4	750w	L202, R119	(74)	1/36	36
2	x/L EF CI	26deg Source4	750w	L202, R119	(75)	1/64	64
3	x/L FG CI	26deg Source4	750w	L202, R119	(75)	1/64	64
4	x/L GH CI	26deg Source4	750w	L202, R119	(76)	1/63	63
5	Top A	PAR 64 MFL	1kW	R83, G99	(111)	1/62	62
6	SPECIAL DSL	19deg Source4	750w	R132	(231)	1/61	61
7	Top B	PAR 64 MFL	1kW	R83, G99	(112)	1/83	83
8	SPECIAL DSR	19deg Source4	750w	R132	(232)	1/82	82
9	Top C	PAR 64 MFL	1kW	R83, G99	(113)	1/81	81
10	x/R DE CI	26deg Source4	750w	L201, R119	(94)	1/80	80
11	x/R EF CI	26deg Source4	750w	L201, R119	(95)	1/22	22
12	x/R FG CI	26deg Source4	750w	L201, R119	(95)	1/22	22
13	x/R GH CI	26deg Source4	750w	L201, R119	(96)	1/49	49

**7/8 PIPE SL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture Bare Branch Wm	19deg Source4	750w	L206, R132, T: G216	(181)	1/58	58
2	Texture Bare Branch Wm	19deg Source4	750w	L206, R132, T: G216	(181)	1/58	58
3	High Side Color	Varilite VL-2500 Spot	700w		(423)	4/56	

**7/8 PIPE SR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture Bare Branch Cl	19deg Source4	750w	L200, R132, T: G216	(182)	1/50	50
2	Texture Bare Branch Cl	19deg Source4	750w	L200, R132, T: G216	(182)	1/50	50
3	High Side Color	Varilite VL-2500 Spot	700w		(424)	4/79	

**SCENIC WALL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Christmas Lights SL	Christmas Lights		N/C	(197)	4/361	
2	Christmas Lights SR	Christmas Lights		N/C	(198)	4/354	

**INSIDE HOUSE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Lamp near SR door	A-Lamp	60w	N/C	(196)	4/351	
1	Center Standling Lamp	A-Lamp	60w	N/C	(193)	4/364	
2	Center US Lamp	A-Lamp	60w	N/C	(193)	4/364	

**PORCH CEILING**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Porch Light	A-Lamp	60w	N/C	(191)	4/352	
2	Porch Light	A-Lamp	60w	N/C	(191)	4/352	

**DS DECK**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Footlights	MR16 Birdie	75w	CLR	(221)		
2	Footlights	Colorblast 12	50w	COLOR	(222)	4/340	
3	Footlights	MR16 Birdie	75w	CLR	(221)		
4	Footlights	MR16 Birdie	75w	CLR	(221)		
6	Footlights	MR16 Birdie	75w	CLR	(221)		

**VARIOUS**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
	Aisle Light	Aisle Light			(501)	1/175	175
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008
		Parlite LED	36w		(500)	10/400	5008

**8/9 CATWALK CTR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Hazer	Hazer			(502)	4/311	



**US ELECTRIC**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L AC Nt	26deg Source4	750w	R51, R119	(87)	1/103	103
2	Window Bak Lo #2	Strand 6x16	1kW	R132	(203)	1/104	104
3	Window Bak Hi #1	Strand 6x16	1kW	R132	(203)	1/104	104
4	Window Bak SR #9	Strand 6x16	1kW	R132	(205)	1/101	101
5	Window Bak Mid # 4	Strand 6x16	1kW	R132	(201)	1/100	100
6	Door Bak	Strand 6x16	1kW	R132	(208)	1/108	108
7	Window Bak Hi #3	Strand 6x16	1kW	R97	(201)	1/107	107
8	Top AB/AC	Strand 6" Fresnel	750w	R83, G99	(128)	1/109	109
9	Scrim Bak Cl	Strand 6x16	1kW	R60, R132	(207)	1/110	110
10	Scrim Bak Wm	Strand 6x16	1kW	L205, R132	(206)	1/111	111
11	Top AC/AD	Strand 6" Fresnel	750w	R83, G99	(128)	1/109	109
12	Window Bak Hi #5	Strand 6x16	1kW	R132	(202)	1/101	101
13	Door Bak	Strand 6x16	1kW	R132	(209)	1/102	102
14	Window Bak Mid # 6	Strand 6x16	1kW	R97	(202)	1/101	101
15	Window Bak SL # 10	Strand 6x16	1kW	R132	(205)	1/106	106
16	Window Bak Lo	Strand 6x16	1kW	R132	(204)	1/105	105
17	Window Bak Hi	Strand 6x16	1kW	R132	(204)	1/105	105
18	x/R AC Nt	26deg Source4	750w	R51, R119	(87)	1/103	103

**8 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L PQ CI	26deg Source4	750w	L202, R119	(80)	1/59	59
2	x/L UV CI	26deg Source4	750w	L202, R119	(83)	1/29	29
3	x/L QR CI	26deg Source4	750w	L202, R119	(81)	1/31	31
4	Top OP	PAR 64 MFL	1kW	R83, G99	(121)	1/30	30
5	x/L RS CI	26deg Source4	750w	L202, R119	(82)	1/6	6
6	Top Shutter Specials	Varilite VL-1000 Tungsten dimmer	1kW		(403)	4/102	
7	Top PQ	PAR 64 MFL	1kW	R83, G99	(121)	1/30	30
8	x/L ST CI	26deg Source4	750w	L202, R119	(82)	1/6	6
9	Top Shutter Specials	Varilite VL-1000 Tungsten dimmer	1kW		(404)	4/130	
10	Top QR	PAR 64 MFL	1kW	R83, G99	(122)	1/8	8
11	x/R OP CI	26deg Source4	750w	L201, R119	(101)	1/7	7
12	Top RS	PAR 64 MFL	1kW	R83, G99	(123)	1/11	11
13	Top Shutter Specials	Varilite VL-1000 Tungsten dimmer	1kW		(405)	4/380	
14	x/R PQ CI	26deg Source4	750w	L201, R119	(100)	1/10	10
15	Top ST	PAR 64 MFL	1kW	R83, G99	(123)	1/11	11
16	x/R QR CI	26deg Source4	750w	L201, R119	(100)	1/10	10
17	x/R Z CI	26deg Source4	750w	L201, R119	(104)	1/87	87
18	x/R RS CI	26deg Source4	750w	L201, R119	(102)	1/86	86
19	x/R AA CI	26deg Source4	750w	L201, R119	(104)	1/87	87

**9 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L W Wm	26deg Source4	750w	R05, R119	(44)	1/181	181
2	x/L X Wm	26deg Source4	750w	R05, R119	(45)	1/183	183
3	Texture Wash I-N	26deg Source4	750w	L200, R132, T: R77774	(132)	1/184	184
4	x/L Y Wm	26deg Source4	750w	R05, R119	(46)	1/185	185
5	Texture Wash I-N	26deg Source4	750w	L200, R132, T: R77774	(133)	1/186	186
6	Texture Wash I-N	26deg Source4	750w	L200, R132, T: R77774	(133)	1/186	186
7	Texture Wash I-N	26deg Source4	750w	L200, R132, T: R77774	(134)	1/188	188
8	Top UV	Strand 6" Fresnel	750w	R83, G99	(124)	1/187	187
9	Top Z/AA	PAR 64 MFL	1kW	R83, G99	(125)	1/189	189
10	Texture Wash I-N	26deg Source4	750w	L206, R132, T: R77109	(142)	1/190	190
11	Texture Wash I-N	26deg Source4	750w	L206, R132, T: R77109	(143)	1/191	191
12	Texture Wash I-N	26deg Source4	750w	L206, R132, T: R77109	(143)	1/191	191
13	x/R W Wm	26deg Source4	750w	R305, R119	(64)	1/192	192
14	Texture Wash I-N	26deg Source4	750w	L206, R132, T: R77109	(144)	1/13	13
15	x/R X Wm	26deg Source4	750w	R305, R119	(65)	1/14	14
16	x/R Y Wm	26deg Source4	750w	R305, R119	(66)	1/15	15

**DS ELECTRIC**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L W/X Cl	26deg Source4	750w	L202, R119	(85)	1/89	89
2	Texture Wash O-T	50deg Source4	750w	L200, R132, T: R77774	(135)	1/91	91
3	Texture Wash O-T	50deg Source4	750w	L200, R132, T: R77774	(135)	1/91	91
4	Texture Wash O-T	50deg Source4	750w	L200, R132, T: R77774	(135)	1/91	91
5	x/L X/Y Cl	26deg Source4	750w	L202, R119	(86)	1/94	94
6	Front Iris Specials	Varilite VL-1100 Tungsten Dimmer	1kW		(413)	4/177	96
7	Top W	Strand 6" Fresnel	750w	R83, G99	(126)	1/99	99
8	Top YX	Strand 6" Fresnel	750w	R83, G99	(127)	1/88	88
9	Front Iris Specials	Varilite VL-1100 Tungsten Dimmer	1kW		(414)	4/320	90
10	x/R W/X Cl	26deg Source4	750w	L201, R119	(105)	1/93	93
11	Texture Wash O-T	50deg Source4	750w	L206, R132, T: R77109	(145)	1/95	95
12	Texture Wash O-T	50deg Source4	750w	L206, R132, T: R77109	(145)	1/95	95
13	Texture Wash O-T	50deg Source4	750w	L206, R132, T: R77109	(145)	1/95	95
14	x/R X/Y Cl	26deg Source4	750w	L201, R119	(106)	1/98	98

**5 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L B CI	26deg Source4	750w	L202, R119	(72)	1/34	34
2	x/L C CI	26deg Source4	750w	L202, R119	(73)	1/33	33
3	Frt U Wm	Strand 6x16	1kW	L203, R119	(21)	1/40	40
4	Frt V Wm	Strand 6x16	1kW	L203, R119	(21)	1/40	40
5	Frt Z Wm	Strand 6x16	1kW	L203, R119	(25)	1/39	39
6	x/R A CI	26deg Source4	750w	L201, R119	(91)	1/38	38
7	Frt AA Wm	Strand 6x16	1kW	L203, R119	(26)	1/37	37
8	x/R B CI	26deg Source4	750w	L201, R119	(92)	1/24	24

**TORM UR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture CI Apt	26deg Source4	750w	L200, R132, T: R77109	(173)	1/134	134
2	Texture Wm Apt	Strand 6x12	1kW	L206, R132, T: R77774	(163)	1/137	137
3	Texture CI Apt	26deg Source4	750w	L200, R132, T: R77109	(173)	1/134	134
4	Texture Wm Apt	Strand 6x12	1kW	L206, R132, T: R77774	(163)	1/137	137
5	Texture CI Apt	26deg Source4	750w	L200, R132, T: R77109	(174)	1/138	138
6	Texture Wm Apt	Strand 6x12	1kW	L206, R132, T: R77774	(164)	1/133	133

**TORM UL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture Cl Apt	26deg Source4	750w	L200, R132, T: R77109	(171)	1/128	128
2	Texture Wm Apt	Strand 6x12	1kW	L206, R132, T: R77774	(161)	1/130	130
3	Texture Cl Apt	26deg Source4	750w	L200, R132, T: R77109	(171)	1/128	128
4	Texture Wm Apt	Strand 6x12	1kW	L206, R132, T: R77774	(161)	1/130	130
5	Texture Cl Apt	26deg Source4	750w	L200, R132, T: R77109	(172)	1/127	127
6	Texture Wm Apt	Strand 6x12	1kW	L206, R132, T: R77774	(162)	1/132	132

**VOM DWNLEFT CTR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Entrance Wm	PAR 64 MFL	1kW	L206	(211)	1/168	168
2	Entrance Cl	PAR 64 MFL	1kW	L203	(213)	1/169	169

**VOM DWNRIGHT CTR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Entrance Cl	PAR 64 MFL	1kW	L203	(214)	1/171	171
2	Entrance Wm	PAR 64 MFL	1kW	L206	(212)	1/172	172

**7 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L JK CI	26deg Source4	750w	L202, R119	(77)	1/57	57
2	x/L KL CI	26deg Source4	750w	L202, R119	(78)	1/27	27
3	Top IJ	PAR 64 MFL	1kW	R83, G99	(118)	1/26	26
4	x/L LM CI	26deg Source4	750w	L202, R119	(79)	1/25	25
5	Top Shutter Specials	Varilite VL-1000 Tungsten dimmer	1kW		(401)	4/1	
6	Top JK	PAR 64 MFL	1kW	R83, G99	(118)	1/26	26
7	Top DE	PAR 64 MFL	1kW	R83, G99	(114)	1/17	17
8	x/L MN CI	26deg Source4	750w	L202, R119	(79)	1/25	25
9	Top EF	PAR 64 MFL	1kW	R83, G99	(115)	1/3	3
10	Top KL	PAR 64 MFL	1kW	R83, G99	(119)	1/2	2
11	Top FG	PAR 64 MFL	1kW	R83, G99	(116)	1/21	21
12	x/R IJ CI	26deg Source4	750w	L201, R119	(97)	1/20	20
13	Top GH	PAR 64 MFL	1kW	R83, G99	(117)	1/56	56
14	Top JK	PAR 64 MFL	1kW	R83, G99	(120)	1/55	55
15	Top Shutter Specials	Varilite VL-1000 Tungsten dimmer	1kW		(402)	4/28	
16	x/R JK CI	26deg Source4	750w	L201, R119	(97)	1/53	53
17	Top MN	PAR 64 MFL	1kW	R83, G99	(120)	1/55	55
18	x/R KL CI	26deg Source4	750w	L201, R119	(98)	1/52	52
19	x/R LM CI	26deg Source4	750w	L201, R119	(99)	1/51	51

**2 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Frnt D Wm	Strand 6x12	1kW	L203, R119	(4)	1/70	70
2	Frnt E Wm	Strand 6x12	1kW	L203, R119	(5)	1/68	68
3	Front Iris Specials	Varilite VL-1000 T-TI	1kW		(431)	3/81	173
5	Frnt G Wm	Strand 6x12	1kW	L203, R119	(7)	1/75	75
6	Frnt H Wm	Strand 6x12	1kW	L203, R119	(8)	1/74	74

**2 CAT LO**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Frnt A Wm	Strand 6x12	1kW	L203, R119	(1)	1/73	73
2	Frnt C Wm	Strand 6x12	1kW	L203, R119	(3)	1/71	71
4	Frnt F Wm	Strand 6x12	1kW	L203, R119	(6)	1/174	174

**2 CAT HI**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Frnt B Wm	Strand 6x12	1kW	L203, R119	(2)	1/72	72

**GROUND ROW**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	CYC	ETC Source4 LED2LS Cyclight	171w		(451)	4/251	121
2	CYC	ETC Source4 LED2LS Cyclight	171w		(452)	4/261	121
3	CYC	ETC Source4 LED2LS Cyclight	171w		(453)	4/271	121
4	CYC	ETC Source4 LED2LS Cyclight	171w		(454)	4/281	121
5	CYC	ETC Source4 LED2LS Cyclight	171w		(455)	4/291	121



**5/6 PIPE SL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	High Side Color	Varilite VL-2500 Spot	700w		(421)	3/157	

**5/6 PIPE SR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	High Side Color	Varilite VL-2500 Spot	700w		(422)	3/180	

**4A PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Frt O Wm	Strand 6x12	1kW	L203, R119	(15)	1/66	66
2	Front Iris Specials	Varilite VL-1100 Tungsten Dimmer	1kW		(411)	3/101	
3	Frt P Wm	Strand 6x12	1kW	L203, R119	(16)	1/65	65
4	Frt Q Wm	Strand 6x12	1kW	L203, R119	(17)	1/43	43
5	Frt R Wm	Strand 6x12	1kW	L203, R119	(18)	1/41	41
6	Frt S Wm	Strand 6x12	1kW	L203, R119	(19)	1/47	47
7	Front Iris Specials	Varilite VL-1100 Tungsten Dimmer	1kW		(412)	3/129	
8	Frt T Wm	Strand 6x12	1kW	L203, R119	(20)	1/45	45

**7/8 SR LO**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/R ST CI	26deg Source4	750w	L201, R119	(102)	1/86	86
2	x/R MN CI	26deg Source4	750w	L201, R119	(99)	1/51	51

**5/6 CAT DSR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/R C CI	26deg Source4	750w	L201, R119	(93)	1/23	23

**7/8 SL LO**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L OP CI	26deg Source4	750w	L202, R119	(80)	1/59	59
2	x/L IJ CI	26deg Source4	750w	L202, R119	(77)	1/57	57

**5/6 CAT DSL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	x/L A CI	26deg Source4	750w	L202, R119	(71)	1/35	35

**4 CAT LO**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Frt I Wm	Strand 6x12	1kW	L203, R119	(9)	1/67	67
2	Frt J Wm	Strand 6x12	1kW	L203, R119	(10)	1/44	44
3	Frt K Wm	Strand 6x12	1kW	L203, R119	(11)	1/42	42
4	Frt L Wm	Strand 6x12	1kW	L203, R119	(12)	1/48	48
5	Frt M Wm	Strand 6x12	1kW	L203, R119	(13)	1/46	46
6	Frt N Wm	Strand 6x12	1kW	L203, R119	(14)	1/77	77

**HAND RAIL DL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77109	(151)	3/1	167
2	Frt Scenic Wall Cl	Strand 6x16	1kW	L202, R132, T: G635	(175)	1/120	120
3	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77109	(152)	3/11	167
4	Magic Moments	19deg Source4	750w	R26	(177)	1/119	119
4	Rotator	Gobo Rotator-Edison		T:R77119(R), R77119(R)	(179)	1/118	118
5	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77109	(153)	3/21	167
6	Frt Scenic Wall Cl	Strand 6x16	1kW	L202, R132, T: G635	(175)	1/120	120
7	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77109	(154)	3/31	167

**HAND RAIL DR**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77774	(155)	3/41	170
2	Frt Scenic Wall Cl	Strand 6x16	1kW	L202, R132, T: G635	(176)	1/178	178
3	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77774	(156)	3/51	170
4	Magic Moments	19deg Source4	750w	R59	(178)	1/176	176
4	Rotator	Gobo Rotator-Edison		T:R77119(R), R77119(R)	(180)	1/177	177
5	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77774	(157)	3/61	170
6	Frt Scenic Wall Cl	Strand 6x16	1kW	L202, R132, T: G635	(176)	1/178	178
7	Texture Set Wall Wash	ETC Source4 LEDLS 26deg	117w	R132, T:R77774	(158)	3/71	170

**3 PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Top Vom Wm	Strand 6" Fresnel	750w	R42	(241)	1/76	76
2	Top Vom Cl	Strand 6" Fresnel	750w	R59	(242)	1/78	78

**6 CAT LO**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Frt Vom Wm	Strand 6x12	1kW	R02, R119	(243)	1/4	4
2	Frt Vom Cl	Strand 6x12	1kW	L201, R119	(244)	1/4	5

**WINDOW PRACTICAL**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Center SR Window	A-Lamp	60w	N/C	(195)	4/363	
1	SL Window	A-Lamp	60w	N/C	(192)	4/353	
2	Center SL Window	A-Lamp	60w	N/C	(195)	4/363	
2	SR Window	A-Lamp	60w	N/C	(192)	4/353	

**Top of SL Vom**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	DJ BOOTH	A-Lamp	60w		(245)	1/9	9

**SR BEHIND PLASTER LINE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
2	Fog	Rosco Fogger			(503)	4/301	

**SL BEHIND PLASTER LINE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Address	Dim
1	Fog	Rosco Fogger			(503)	4/301	