

TheatreVCU
 LD: Michael Jarett
 ALD: Austin Harber

Machinal LW V13.lw6
 Hodges Theater - Feb. 14-23, 2020
 ME: Sreyech An
 AME: Dakota Carter/ML Tech: Hannah Bechner

TABLE OF CONTENTS

TAILDOWN A	1	HAND RAIL DL	14
TAILDOWN B	1	VOM DWN LEFT	14
TAILDOWN C	1	HAND RAIL DR	14
2 PIPE	1	VOM DWN RIGHT	15
4A PIPE	2	DSL LOW HOR	15
5 CAT LO	3	USL HI HOR	16
5 PIPE	3	USR HI HOR	17
5/6 CAT DSL	3	SL DECK	17
5/6 CAT DSR	3	DS DECK	18
6 CAT LO	4	SR DECK	18
6 PIPE	5	Side Tables	18
7 CAT LO	6	Set Mount	19
7 PIPE	7	Cyc Ground Row	19
7/8 PIPE SL	8	VARIOUS	19
7/8 SL HI	8	TORM UL	20
7/8 SL LO	8	TORM UR	20
7/8 PIPE SR	9	8 PIPE Center	20
7/8 SR HI	9	HAND RAIL SL	20
7/8 SR LO	9	DSL HIGH HOR	21
8 PIPE	10	DSR HIGH HOR	21
8 CAT LO	11	DSR LO HOR	21
9 PIPE	12	GroundRow	22
US ELECTRIC	13	GroundRow SL	22
TOP CYC PIPE	14	GroundRow SR	22

TheatreVCU
 LD: Michael Jarett
 ALD: Austin Harber

Hodges Theater - Feb. 14-23, 2020
 ME: Sreyech An
 AME: Dakota Carter/ML Tech: Hannah Bechner

TAILDOWN A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Movers	Varilite VL-1100 Tungsten Dimmer	1kW		(40 3)	2/ 73	

TAILDOWN B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Front Iris Specials	Varilite VL-2500 Spot	700w		(40 2)	2/ 101	

TAILDOWN C

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Movers	Varilite VL-1100 Tungsten Dimmer	1kW		(40 1)	2/ 119	

2 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DL Front	19deg Source4	750w	R54+R132	(3)		71
2	Far DC Front	19deg Source4	750w	R54+R132	(2)		72
3	Far DR Front	19deg Source4	750w	R54+R132	(1)		73

4A PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DL Front	19deg Source4	750w	R54+R132	(8)		65
2	Movers	Varilite VL-2500 Spot	700w		(43 3)	2/ 50	
3	DLC Front	19deg Source4	750w	R54+R132	(7)		66
4	Floor Color	50deg Source4	750w	L108+R132	(33 2)		41
5	DC Front	19deg Source4	750w	R54+R132	(6)		42
6	Platform Front	19deg Source4	750w	G1010	(20 1)		43
6		Wybron CXI Color Fusion 4"			(20 1)		
7	Hospital Sign	Strand 6x16	1kW	R351+R132	(24 3)		44
8	DRC Front	19deg Source4	750w	R54+R132	(5)		45
9	Movers	Varilite VL-2500 Spot	700w		(43 2)	2/ 27	
10	DR Front	19deg Source4	750w	R54+R132	(4)		46

5 CAT LO

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	CL Front	19deg Source4	750w	R54+R132	(13)		34
2	Bar Sign	19deg Source4	750w	R24+R132	(25 7)		36
3	Bar Sign	19deg Source4	750w	R24+R132	(25 5)		37
4	CLC Front	19deg Source4	750w	R54+R132	(12)		38
5	CC Front	19deg Source4	750w	R54+R132	(11)		40
6	CRC Front	19deg Source4	750w	R54+R132	(10)		22
7	CR Front	19deg Source4	750w	R54+R132	(9)		23

5 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Bar Sign	19deg Source4	750w	R24+R132	(25 6)		35
2	Door Special	19deg Source4	750w	R53+R132	(17 1)		39

5/6 CAT DSL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DL <L	26deg Source4	750w	R368+R132	(83)		33

5/6 CAT DSR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DR <R	26deg Source4	750w	R368+R132	(10 1)		24

6 CAT LO

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DL Top	PAR 64 MFL	1kW	R75	(23		18
)		1
2	Far DC <L	26deg Source4	750w	R368+R132	(82		62
)		
3	Far DC Top	PAR 64 MFL	1kW	R75	(22		1
)		
4	Far DC Top	PAR 64 MFL	1kW	R75	(22		1
)		
5	Far DR Top	PAR 64 MFL	1kW	R75	(21		19
)		
6	Platform <R	26deg Source4	750w	G1010	(20		8
					3)		
7		Wybron CXI Color Fusion 4"			(20		
					3)		

6 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DL <L	26deg Source4	750w	R53+R132	(43)		61
2	Far DC <L	26deg Source4	750w	R53+R132	(42)		63
3	Far DR <L	26deg Source4	750w	R368+R132	(81)		64
4	Far DR <L	26deg Source4	750w	R53+R132	(41)		18
5	Scene 5 - DL Table	26deg Source4	1kW	R50+R132	(25 2)		16
6	Far DL <R	26deg Source4	750w	R53+R132	(63)		21
7	Far DL <R	26deg Source4	750w	R368+R132	(10 3)		80
8	Far DC <R	26deg Source4	750w	R53+R132	(62)		81
9	Far DC <R	26deg Source4	750w	R368+R132	(10 2)		82
10	Far DR <R	26deg Source4	750w	R53+R132	(61)		83

7 CAT LO

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DR <L	26deg Source4	750w	R368+R132	(81)		64
2	DR <L	26deg Source4	750w	R53+R132	(44)		2
3	UL Front	26deg Source4	750w	R54+R132	(17)		3
4	Platform <L	26deg Source4	750w	G1010	(20 2)		18 3
4		Wybron CXI Color Fusion 4"			(20 2)		
5	ULC Front	26deg Source4	750w	R54+R132	(16)		18 6
6	Chair Path	26deg Source4	750w	R351+R132	(19 1)		17 7
7	URC Front	26deg Source4	750w	R54+R132	(15)		17 8
8	Scene 7 Table	Strand 6x12	1kW	R364+R132	(27 1)		17
9	Scene 5 - DR Table	19deg Source4	1kW	R50+R132	(25 1)		20
11	DL <R	26deg Source4	750w	R53+R132	(66)		53
12	DL <R	26deg Source4	750w	R368+R132	(10 3)		80

7 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DL <L	26deg Source4	750w	R53+R132	(46)		25
2	DC <L	26deg Source4	750w	R368+R132	(85)		26
3	DC <L	26deg Source4	750w	R53+R132	(45)		27
4	Mover - Top Color Wash	Varilite VLX Wash	840w		(44 2)	3/ 47	
5	DL Top	PAR 64 MFL	1kW	R75	(23)		18 1
6	Movers	Varilite VL-1000 TSD	1kW		(41 3)	3/ 135	
7	Scene 5 UL Entrance	19deg Source4	750w	R24+R132	(25 9)		18 5
8	Floor Color	50deg Source4	750w	L108+R132	(33 3)		18 4
9	DC Top	PAR 64 MFL	1kW	R75	(25)		17 6
10	UR Front	26deg Source4	750w	R54+R132	(14)		7
10	Movers	Varilite VL-1000 TSD	1kW		(41 2)	3/ 163	
11	DC Top	PAR 64 MFL	1kW	R75	(25)		17 6
12	Floor Color	50deg Source4	750w	L108+R132	(33 1)		9
13	Movers	Varilite VL-1000 TSD	1kW		(41 1)	3/ 190	
14	DR Top	PAR 64 MFL	1kW	R75	(21)		19
15	Mover - Top Color Wash	Varilite VLX Wash	840w		(44 1)	3/ 240	
16	DC <R	26deg Source4	750w	R53+R132	(65)		54

7 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
17	DC <R	26deg Source4	750w	R368+R132	(10 5)		55
18	DR <R	26deg Source4	750w	R53+R132	(64)		56

7/8 PIPE SL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Movers	Varilite VL-1100 Tungsten Dimmer	1kW		(42 2)	3/ 307	
2	CC <L	26deg Source4	750w	R53+R132	(48)		60
3	Movers	Varilite VL-2500 Spot	700w		(43 4)	3/ 263	

7/8 SL HI

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	CC <L	26deg Source4	750w	R368+R132	(88)		59
2	UL <L	26deg Source4	750w	R368+R132	(89)		58

7/8 SL LO

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DL <L	26deg Source4	750w	R368+R132	(83)		33
2	CL <L	26deg Source4	750w	R53+R132	(49)		57
3	CL <L	26deg Source4	750w	R368+R132	(89)		58

7/8 PIPE SR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Movers	Varilite VL-1100 Tungsten Dimmer	1kW		(42 1)	3/ 335	
2	CC <R	26deg Source4	750w	R53+R132	(68)		52
3	Movers	Varilite VL-2500 Spot	700w		(43 1)	3/ 285	

7/8 SR HI

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	CC <R	26deg Source4	750w	R368+R132	(10 8)		51

7/8 SR LO

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DR <R	26deg Source4	750w	R368+R132	(10 1)		24
2	CR <R	26deg Source4	750w	R53+R132	(67)		49
3	CR <R	26deg Source4	750w	R368+R132	(10 7)		50

8 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	CR <L	26deg Source4	750w	R368+R132	(87		32
)		
2	CR <L	26deg Source4	750w	R53+R132	(47		31
)		
3	Mover - Top Color Wash	Varilite VLX Wash	840w		(44	3/	
					4)	363	
4	Scene 5 UL Table	19deg Source4	1kW	R50+R132	(25		30
					3)		
5	Movers	Varilite VL-1000 TSD	1kW		(41	3/	
					6)	409	
6	Platform Back	ARRI Studio 2000 Fresnel	2kW	N/C	(20		29
					4)		
7	Chair Path	26deg Source4	750w	R351+R132	(19		6
					2)		
8	Movers	Varilite VL-1000 TSD	1kW		(41	3/	
					5)	437	
9	Scene 4 Hospital Top	ARRI Studio 2000 Fresnel	2kW	N/C	(24		14
					1)		
10	Movers	Varilite VL-1000 TSD	1kW		(41	3/	
					4)	465	
11	Mover - Top Color Wash	Varilite VLX Wash	840w		(44	3/	
					3)	386	
12	CL <R	26deg Source4	750w	R53+R132	(69		12
)		
13	CL <R	26deg Source4	750w	R368+R132	(10		97
					9)		
14	UR <R	26deg Source4	750w	R368+R132	(10		50
					7)		

8 CAT LO

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	UL <L	26deg Source4	750w	R53+R132	(52		90
)		
2	UC <L	26deg Source4	750w	R368+R132	(88		59
)		
3	UC <L	26deg Source4	750w	R53+R132	(51		92
)		
4	UR <L	19deg Source4	750w	R368+R132	(87		32
)		
5	UR <L	19deg Source4	750w	R53+R132	(50		93
)		
6	CL Top	PAR 64 MFL	1kW	R75	(29		11
)		4
7	CC Top	50deg Source4	750w	R132	(28		13
)		
7		Wybron CXI Color Fusion 4"			(28		
)		
8	Hospital Chair Special	Altman PAR 64 NSP	1kW	N/C	(24		15
					2)		
9	CC Top	50deg Source4	750w	R132	(28		13
)		
9		Wybron CXI Color Fusion 4"			(28		
)		
10	CR Top	PAR 64 MFL	1kW	R75	(27		19
)		0
11	UL <R	19deg Source4	750w	R53+R132	(72		11
)		
12	UL <R	19deg Source4	750w	R368+R132	(10		97
					9)		
13	UC <R	26deg Source4	750w	R53+R132	(71		99
)		
14	UC <R	26deg Source4	750w	R368+R132	(10		51
					8)		
15	UR <R	26deg Source4	750w	R53+R132	(70		98
)		

9 PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Pros Special	Strand 6x12	1kW	R54+R132	(18 2)		11 2
2	Far UL Top	PAR 64 MFL	1kW	R75	(36)		11 3
3	UL Top	PAR 64 MFL	1kW	R75	(29)		11 4
4	Far UCL Top	PAR 64 MFL	1kW	R75	(35)		11 5
5	US Chair Special	19deg Source4	750w	R54	(18 6)		13 1
6	Chair Path	26deg Source4	750w	R351+R132	(19 4)		11 6
7	UC Top	50deg Source4	750w	R132	(31)		11 7
7		Wybron CXI Color Fusion 4"			(31)		
8	Chair Path	26deg Source4	750w	R351+R132	(19 3)		18 7
9	Gear Special	ETC Source4 LED 26deg	140w	R132	(46 3)		18 8
10	UC Top	50deg Source4	750w	R132	(31)		18 8
10		Wybron CXI Color Fusion 4"			(31)		
11	Far UCR Top	PAR 64 MFL	1kW	R75	(34)		18 9
12	UR Top	PAR 64 MFL	1kW	R75	(27)		19 0
13	Far UR Top	PAR 64 MFL	1kW	R75	(33)		19 1
14	Pros Special	Strand 6x12	1kW	R54+R132	(18 1)		19 2

US ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Set Back Wash	PAR 64 MFL	1kW		(46 6)		10 5
1	Set Back Wash	Wybron CXI Color Fusion 4"			(46 6)	3/ 121	
2	Scene 4 Hospital Window SL	Strand 6x12	1kW	R08+R132	(24 5)		10 7
3	Scene 4 Hospital Window SL	Strand 6x12	1kW	R08+R132	(24 5)		10 7
4	Far Far UL Top	PAR 64 MFL	1kW	R75	(38)		10 8
5		ARRI Studio 2000 Fresnel	2kW		(48 2)		10 6
6	US Chair Special	Altman PAR 64 VN5P	1kW	R51	(18 5)		10 9
7	Door Back	26deg Source4	750w	R54+R132	(17 2)		11 0
8	Set Back Wash	PAR 64 MFL	1kW		(46 5)		11 1
8	Set Back Wash	Wybron CXI Color Fusion 4"			(46 5)	3/ 123	
9	Scene 4 Hospital Window SR	Strand 6x12	1kW	R08+R132	(24 4)		10 3
10		ARRI Studio 2000 Fresnel	2kW		(48 1)		10 0
11	Far Far UR Top	PAR 64 MFL	1kW	R75	(37)		10 1
12	Set Back Wash	PAR 64 MFL	1kW		(46 4)		10 2
12	Set Back Wash	Wybron CXI Color Fusion 4"			(46 4)	3/ 125	
13	Scene 4 Hospital Window SR	Strand 6x12	1kW	R08+R132	(24 4)		10 3

TOP CYC PIPE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
2	TOP CYC	ETC Source4 LEDLS 50deg	117w		(45 4)	4/ 21	
3	TOP CYC	ETC Source4 LEDLS 50deg	117w		(45 3)	4/ 31	
4	TOP CYC	ETC Source4 LEDLS 50deg	117w		(45 2)	4/ 41	

HAND RAIL DL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Set Wash	ETC Source4 LED 26deg	140w	R132	(46 2)		16 9
2	Scene 3 Window Gobo	19deg Source4	750w	☐R64, T:R77703	(23 1)		16 8

VOM DWN LEFT

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DL < Vom	6" FRESNEL	750w	R368	(16 6)		70
2	DL < Vom	6" FRESNEL	750w	R54	(16 5)		68

HAND RAIL DR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	UR Window Gobo	19deg Source4	750w	☐R62, T:R77703	(23 2)		17 1
2	Set Wash	ETC Source4 LED 26deg	140w	R132	(46 1)		17 0
3	Scene 9 Jail Front	26deg Source4	750w	R72+G1010	(29 1)		17 2

VOM DWN RIGHT

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DR < Vom	6" FRESNEL	750w	R368	(16 2)		78
2	DR < Vom	6" FRESNEL	750w	R54	(16 1)		77

DSL LOW HOR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Scene 6 <L	Strand 6x12	1kW	R47+R132	(26 1)		15 4
2	Scene 6 <L	Strand 6x12	1kW	R47+R132	(26 5)		15 3
3	Scene 6 <L	Strand 6x12	1kW	R47+R132	(26 5)		15 3
4	Scene 6 <L	Strand 6x12	1kW	R47+R132	(26 1)		15 4

USL HI HOR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DL Low <L	26deg Source4	750w	R302+R132	(12 4)	14	8
2	DC Low <L	26deg Source4	750w	R302+R132	(12 3)	14	4
3	DC Low <L	26deg Source4	750w	R57+R132	(14 3)	14	7
4	DL Low <L	26deg Source4	750w	R57+R132	(14 4)	14	5
5	Scene 9 Jail	50deg Source4	750w	R72+G1010	(29 3)	14	6
6	CC Low <L	26deg Source4	750w	R302+R132	(12 5)	96	
7	CL Low <L	26deg Source4	750w	R302+R132	(12 6)	14	3
8	CC Low <L	26deg Source4	750w	R57+R132	(14 5)	95	
9	CL Low <L	26deg Source4	750w	R57+R132	(14 6)	94	

USR HI HOR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	CC Low <R	26deg Source4	750w	R57+R132	(15 6)		84
2	CR Low <R	26deg Source4	750w	R57+R132	(15 5)		86
3	CC Low <R	26deg Source4	750w	R302+R132	(13 6)		85
4	CR Low <R	26deg Source4	750w	R302+R132	(13 5)		16 0
5	Scene 9 Jail	50deg Source4	750w	R72+G1010	(29 4)		15 9
6	DC Low <R	26deg Source4	750w	R57+R132	(15 4)		15 7
7	DR Low <R	26deg Source4	750w	R57+R132	(15 3)		15 8
8	DC Low <R	26deg Source4	750w	R302+R132	(13 4)		15 6
9	DR Low <R	26deg Source4	750w	R302+R132	(13 3)		15 5

SL DECK

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	SL FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 9)	4/ 114	
2	SL FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(32 0)	4/ 113	
3	SL FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(32 1)	4/ 112	
4	SL FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(32 2)	4/ 111	

DS DECK

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	DS FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 8)		13 9
2	DS FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 7)		14 1
3	DS FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 6)		14 2
4	DS FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 5)		14 0

SR DECK

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	SR FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 4)	4/ 116	
2	SR FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 3)	4/ 117	
3	SR FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 2)	4/ 118	
4	SR FOOT LIGHTS	MR-16 BIRDIE	26w	R364	(31 1)	4/ 119	

Side Tables

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Scene 7 Lamp	Lamp Practical			(27 2)	2/ 201	
2	Scene 7 Lamp	Lamp Practical			(27 3)	2/ 205	

Set Mount

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Scene 8 Camera Flash	Strand Base			(28 1)		13 7
2	Scene 8 Camera Flash	Strand Base			(28 2)		13 6
3	Scene 8 Camera Flash	Strand Base			(28 3)		13 4
4	Scene 8 Camera Flash	Strand Base			(28 4)		13 3
5	Scene 8 Camera Flash	Strand Base			(28 5)		13 0

Cyc Ground Row

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Bottom Cyc	ETC Source4 LED2LS Cyclight	171w		(46 0)	4/ 61	
2	Bottom Cyc	ETC Source4 LED2LS Cyclight	171w		(45 9)	4/ 71	
3	Bottom Cyc	ETC Source4 LED2LS Cyclight	171w		(45 8)	4/ 81	
4	Bottom Cyc	ETC Source4 LED2LS Cyclight	171w		(45 7)	4/ 91	
5	Bottom Cyc	ETC Source4 LED2LS Cyclight	171w		(45 6)	4/ 101	

VARIOUS

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Houselights	Houselights			(50 0)		
2	Aisle Light	Aisle Light			(50 1)		

TORM UL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Gear	Strand 6x12	1kW	R54+R132	(34 1)		12 7
2		26deg Source4	750w		(37 1)		13 2
2		Wybron CXI Color Fusion 4"			(37 1)	3/ 500	

TORM UR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Gear	Strand 6x12	1kW	R54+R132	(34 2)		13 8
2		26deg Source4	750w		(37 2)		13 5
2		Wybron CXI Color Fusion 4"			(37 2)	3/ 502	

8 PIPE Center

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Hazer	Hazer			(47 1)		

HAND RAIL SL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
3	Scene 9 Jail Front	26deg Source4	750w	R72+G1010	(29 2)		16 7

DSL HIGH HOR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DC Low <L	26deg Source4	750w	R57+R132	(14 1)		14 9
2	Far DL Low <L	26deg Source4	750w	R57+R132	(14 2)		15 0
3	Far DC Low <L	26deg Source4	750w	R302+R132	(12 1)		15 1
4	Far DL Low <L	26deg Source4	750w	R302+R132	(12 2)		15 2

DSR HIGH HOR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Far DC Low <R	26deg Source4	750w	R57+R132	(15 2)		16 4
2	Far DR Low <R	26deg Source4	750w	R57+R132	(15 1)		16 2
3	Far DC Low <R	26deg Source4	750w	R302+R132	(13 2)		16 3
4	Far DR Low <R	26deg Source4	750w	R302+R132	(13 1)		16 1

DSR LO HOR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1	Scene 6 <R	Strand 6x12	1kW	R47+R132	(26 2)		16 5
2	Scene 6 <R	Strand 6x12	1kW	R47+R132	(26 6)		16 6
3	Scene 6 <R	Strand 6x12	1kW	R47+R132	(26 6)		16 6
4	Scene 6 <R	Strand 6x12	1kW	R47+R132	(26 2)		16 5

GroundRow

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1		Strand 6x12	1kW		(22		12
					2)		6
1		Strand 6x12	1kW		(22		12
					1)		2
1	Set Back Wash	ARRI Studio 2000 Fresnel	2kW		(48		12
					4)		4

2	Gobo Rotator	19deg Source4+Gobo 2Rot*	750w	T:R78079	(36	4/	12
					1)	125	1

3	Door back color	ETC Source4 LEDLS 36deg	117w		(36	4/	12
					6)	201	2

4	Set Back Wash	ARRI Studio 2000 Fresnel	2kW		(48		12
					3)		5

5	Gear Special	ETC Source04 LEDLS 19deg	117w		(46	4/	
					8)	400	

GroundRow SL

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1		ARRI Studio 2000 Fresnel	2kW		(48		12
					4)		4

GroundRow SR

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Ch	Adr	D
1		ARRI Studio 2000 Fresnel	2kW		(48		12
					3)		6